

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# MAPEI Corp.

1144 E. Newport Center Drive, Deerfield Beach, Florida 33442, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 – Adhesive and Sealants (January 2005).

Average Product Application Amount: 45 m2 per gallon.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Registration # SCS-IAQ-06042

Valid from: March 23, 2025 to March 22, 2026



INDOOR ADVANTAGE GOLD  
BUILDING MATERIALS



Diana Kirsanova Phillips, Chief Assurance  
Officer,  
SCS Global Services

## **Certification Addendum**

### **MAPEI Corp.**

Certification: Registration # SCS-IAQ-06042 | Valid from: March 23, 2025 to March 22, 2026

#### Addendum **Indoor Advantage™ Gold**

Conformance: Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 – Adhesive and Sealants (January 2005).

Average Product Application Amount: 45 m2 per gallon.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

#### Products:

##### **Adhesives:**

**All Other Adhesives:** Mapefloor CPU/COVE, Mapefloor CPU/HD, Mapefloor CPU/MF, Mapefloor CPU/RT, Mapefloor CPU/SBF, Mapefloor Patch, Planibond 3C, Planitop 11, Planitop 11 SCC, Planitop 12 SR, Planitop 13, Planitop 15, Planitop 15 Rapid, Planitop 18, Planitop 18 ES, Planitop 18 TG, Planitop 23, Planitop 25, Planitop 200, Planitop Accelerator, Planitop EL, Planitop FD, Planitop Rendering Mortar, Planitop Shotcrete, Planitop X, Planitop XS

**All Other Indoor Floor Covering Adhesives:** Ultrabond ECO 20, ECO 185, Ultrabond ECO 220, Ultrabond ECO 222, Ultrabond ECO 307, Ultrabond ECO 350, Ultrabond ECO 360, Ultrabond ECO 373, Ultrabond ECO 379, Ultrabond ECO 399, Ultrabond ECO 420, Ultrabond ECO 570, Ultrabond ECO 575, Ultrabond ECO 711, Ultrabond ECO 811, Ultrabond ECO 901, Ultrabond ECO 2285, Ultrabond ECO 3185, Ultrabond ECO MS 4 LVT, Ultrabond ECO MS 4 LVT WALL, Ultrabond G19, Ultrabond G21, Ultrabond Landscape Turf CG, Ultrabond Landscape Turf RG, Ultrabond Track PU 2k, Ultrabond Turf Epoxy Repair, Ultrabond Turf HMA, Ultrabond Turf MS, Ultrabond Turf PU 1K, Ultrabond Turf PU 1K-HV, Ultrabond Turf PU 1K-LV, Ultrabond Turf PU 2K, Ultrabond Turf PU 2K Accelerator, Ultrasport PU 2k

**Ceramic Glass, Porcelain, & Stone Tile Adhesive:** Flexcolor CQ, Flexcolor Design, Ker 909, Kerapoxy, Kerapoxy CQ, Kerapoxy IEG CQ, Premium Mortar, Type 1, Ultramastic ECO

**Contact Adhesive: General Purpose:** Flexcolor 3D

**Dry-Set Mortar Latex Additives:** Keralastic, Keraply, Polymer Additive

## **Certification Addendum**

### **MAPEI Corp.**

Certification: Registration # SCS-IAQ-06042 | Valid from: March 23, 2025 to March 22, 2026

#### Addendum **Indoor Advantage™ Gold**

Conformance: Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 – Adhesive and Sealants (January 2005).

Average Product Application Amount: 45 m2 per gallon.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

#### Products:

**Flexible Mortar Systems:** GraniRapid (Liquid), GraniRapid (Powder)

**Floor Coatings:** Mapefloor Compact

**Multi-Purpose Construction Adhesives:** Mapebond 720, MAPEI HM Primer, MapeWrap 11, MapeWrap 12, MapeWrap 21, Mapewrap 21 TG, MapeWrap 31, MapeWrap 31 T, MapeWrap Primer 1, Planibond AE, Planibond AE Fast, Planibond EBA, Planibond Hi-Mod Gel, Planibond Hi-Mod MV, Planibond SBA, Planibond SBA SlowSet, Planicrete AC, Planicrete UA, Planigrout 310, Planigrout 350

**Rubber Flooring Adhesive:** Ultrabond Sport PU 1K

**Specialty Mortars:** Kerapoxy 410, Kerapoxy SB, Kerapoxy SB Rapid, Planicrete W, Ultrabond ECO GPT

**Wood Flooring Adhesive:** Ultrabond ECO 303, Ultrabond ECO 903, Ultrabond ECO 904, Ultrabond ECO 907, Ultrabond ECO 975, Ultrabond ECO 977, Ultrabond ECO 980, Ultrabond ECO 983, Ultrabond ECO 985, Ultrabond ECO 987, Ultrabond ECO 995, Ultrabond ECO WPA