# Safety Data Sheet PLANIGROUT 950 /A (NA)

Safety Data Sheet dated: 11/29/2023 - version 1

Date of first edition: 11/29/2023



#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: PLANIGROUT 950 /A (NA)

Trade code: 9004688

Recommended use of the chemical and restrictions on use

Recommended use: Not available Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsable: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

### 2. HAZARD(S) IDENTIFICATION







#### Classification of the chemical

Skin irritation, Category 2 Causes skin irritation.

Eye irritation, Category 2A Causes serious eye irritation.

Skin Sensitization, Category 1B May cause an allergic skin reaction.

Reproductive toxicity, Category 2 Suspected of damaging fertility or the unborn child if inhaled, in

contact with skin and if swallowed.

Acute aquatic hazard, category 2 Toxic to aquatic life

Chronic (long term) aquatic hazard, category 2 Toxic to aquatic life with long lasting effects.

Label elements

### **Hazard pictograms and Signal Word**



#### Warning

#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child if inhaled, in contact with skin and if swallowed.

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects.

### **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist/vapours/spray.
P264 Wash ... Thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 1 of 10

P302+P352	IF ON SKIN: Wash with plenty of water.		
P305+P351+P33 8	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P308+P313	IF exposed or concerned: Get medical advice/attention.		
P321	Specific treatment (see supplementary instructions on this label)		
P332+P313	If skin irritation occurs: Get medical advice/attention.		
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P363	Wash contaminated clothing before reuse.		
P391	Collect spillage.		
P405	Store locked up.		
P501	Dispose of contents/container in accordance with applicable regulations.		
Ingradient(s) with unknown acute toxicity			

### Ingredient(s) with unknown acute toxicity:

None

#### Hazards not otherwise classified identified during the classification process:

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

Not Relevant

### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

### List of components

Qty	Name	Ident. Numb.	Classification
50-75 %	bis-[4-(2,3-epoxipropoxi)phenyl]propane	CAS:1675-54-3, 25085- 99-8 EC:216-823-5 Index:603-073-00-2	Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2A, H319; Aquatic Chronic 2, H411; Aquatic Acute 2, H401
10-20 %	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	CAS:68609-97-2 EC:271-846-8 Index:603-103-00-4	Skin Irrit. 2, H315; Skin Sens. 1B, H317
10-20 %	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and pheno		Skin Irrit. 2, H315; Aquatic Chronic 2, H411; Skin Sens. 1, H317
0.49-1 %		CAS:84852-15-3 EC:284-325-5 Index:601-053-00-8	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Corr. 1B, H314; Eye Dam. 1, H318; Repr. 2, H361

### 4. FIRST AID MEASURES

### **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### Most important symptoms/effects, acute and delayed

Eye irritation

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 2 of 10

#### Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

#### 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

#### Unsuitable extinguishing media:

None in particular.

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant Oxidizing properties: Not Relevant

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

### Predicted No Effect Concentration (PNEC) values

oxirane, mono[(C12-14- Exposure Route: Marine water; PNEC Limit: 0.00072 mg/l

alkyloxy)methyl] derivs.

CAS: 68609-97-2

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 3 of 10

Exposure Route: Fresh Water; PNEC Limit: 0.0072 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 66.77 mg/kg Exposure Route: Marine water sediments; PNEC Limit: 6.677 mg/kg

Exposure Route: Soil; PNEC Limit: 80.12 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 10 mg/l Formaldehyde, oligomeric Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 10 mg/l

reaction products with 1-chloro-2,3-epoxypropane

and phenol CAS: 9003-36-5

Exposure Route: Fresh Water; PNEC Limit: 0.003 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 0.294 mg/kg

Exposure Route: Marine water; PNEC Limit: 0.0003 mg/l

Exposure Route: Marine water sediments; PNEC Limit: 0.0294 mg/kg

Exposure Route: Soil; PNEC Limit: 0.237 mg/kg

Appropriate engineering controls: Not available

#### **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min. Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: liquid Clear

Odour: Characteristic

Odour threshold: Not Relevant

pH: Not Relevant

Melting point / freezing point: Not Relevant Initial boiling point and boiling range: Not Relevant

Flash point: 94 °C (201 °F) Evaporation rate: Not Relevant

Upper/lower flammability or explosive limits: Not Relevant

Vapour density: Not Relevant Vapour pressure: Not Relevant Relative density: 1.10 g/cm3 Solubility in water: Insoluble Solubility in oil: insoluble

Partition coefficient (n-octanol/water): Not Relevant

Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant

Viscosity: 3,413.00 mPA-s

Kinematic viscosity: > 20,5 mm2/sec (40 °C) mm2/s

Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant

Other information

Substance Groups relevant properties Not Relevant

Miscibility: Not Relevant

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 4 of 10

Fat Solubility: Not Relevant Conductivity: Not Relevant

#### 10. STABILITY AND REACTIVITY

Reactivity

Stable

**Chemical stability** 

Data not available.

Possibility of hazardous reactions

None.

**Conditions to avoid** 

Stable under normal conditions.

**Incompatible materials** 

None in particular.

**Hazardous decomposition products** 

None.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

### **Toxicological Information of the Preparation**

a) acute toxicity No	t classified
----------------------	--------------

b) skin corrosion/irritation The product is classified: Skin irritation, Category 2(H315)
c) serious eye damage/irritation The product is classified: Eye irritation, Category 2A(H319)
d) respiratory or skin sensitisation The product is classified: Skin Sensitization, Category 1B(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity The product is classified: Reproductive toxicity, Category 2(H361)

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

### Toxicological information on main components of the mixture:

bis-[4-(2,3-

epoxipropoxi)phenyl] propane

a) acute toxicity

LD50 Skin Rabbit = 20 mg/kg

LD50 Oral Rat = 11300  $\mu$ L/kg

oxirane, mono[(C12-14- a) acute toxicity

alkyloxy)methyl] derivs.

LD50 Oral Rat = 19200 mg/kg

LD50 Skin Rabbit = 4000 mg/kg

Formaldehyde, oligomeric a) acute toxicity

reaction products with 1-chloro-2,3-epoxypropane

LD50 Oral Rat > 5000 mg/kg

and phenol

LD50 Skin Rat > 2000 mg/kg

i) STOT-repeated

exposure

NOAEL Oral = 250 mg/kg

a) acute toxicity LD50 Oral Rat 1300 mg/kg

LD50 Skin Rabbit > 2000 mg/kg

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 5 of 10

#### Substance(s) listed on the IARC Monographs:

bis-[4-(2,3-Group 3 epoxipropoxi)phenyl]propane

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

Substance(s) listed on the NTP report on Carcinogens:

None

#### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

The product is classified: Acute aquatic hazard, category 2(H401), Chronic (long term) aquatic hazard, category 2(H411)

List of Eco-Toxicological properties of the components			
Component	Ident. Numb.	Ecotox Data	
bis-[4-(2,3- epoxipropoxi)phenyl]propane	CAS: 1675-54-3, 25085-99-8 - EINECS: 216- 823-5 - INDEX: 603-073-00-2	a) Aquatic acute toxicity: LC50 Fish = 2 mg/L 96h	
		a) Aquatic acute toxicity: EC50 Daphnia = 1.8 mg/L 48h	
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	CAS: 68609-97- 2 - EINECS: 271-846-8 - INDEX: 603- 103-00-4	a) Aquatic acute toxicity: LC50 Fish > 100 mg/L 96h	
		a) Aquatic acute toxicity: EL50 Daphnia = 7.2 mg/L 48h	
		a) Aquatic acute toxicity: EC50 Algae = 843 mg/L 72h	
		b) Aquatic chronic toxicity: NOEC Algae = 500 mg/L 72h	
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	CAS: 9003-36-5 - EINECS: 701- 263-0	a) Aquatic acute toxicity: LC50 Fish = 5.7 mg/L 96h	
		a) Aquatic acute toxicity: EC50 Daphnia = 2.55 mg/L 48h	
		a) Aquatic acute toxicity: EC50 Algae = 1.8 mg/L 72h	
	CAS: 84852-15- 3 - EINECS: 284-325-5 - INDEX: 601- 053-00-8	LC50 Fish Pimephales promelas 0.135 mg/L 96h ,,Holcombe, G.W., Phipps, G.L., Knuth, M.L. and Felhaber, T. (1984) Environ. Pollut. (Series A) 35, 367-381	

LC100 Fish Leuciscus idus 1.1 mg/L 48h ,,Huels study, 1988 (unpublished)

LC50 Fish Leuciscus idus 0.95 mg/L 48h ,,Huels study, 1988 (unpublished)

LOEC Fish Pimephales promelas 14  $\mu$ g/L 33d ,,Chemical Manufacturers Association (1991) Two environmental effects 4-Nonylphenol final reports 1. Chronic toxicity of Nonylphenol to the Mysid, Mysidopsis bahia: EnviroSystems Study Number 8977-CMA 2. Early life stage toxicity of Nonylphenol to the fath

NOEC Fish Pimephales promelas 7.4 µg/L 33d ,,Chemical Manufacturers Association (1991) Two environmental effects 4-Nonylphenol final reports 1. Chronic toxicity of Nonylphenol to the Mysid, Mysidopsis bahia: EnviroSystems Study Number 8977-CMA 2. Early life stage toxicity of Nonylphenol to the fath

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 6 of 10 EC100 Daphnia Daphnia magna > 400  $\mu$ g/L 48h ,,Huels report No. DK-522, 1992 (unpublished)

ECO Daphnia Daphnia magna < 100  $\mu g/L$  48h ,,Huels report No. DK-522, 1992 (unpublished)

EC50 Daphnia Daphnia magna 140  $\mu g/L$  48h ,,Huels report No. DK-522, 1992 (unpublished)

LOEC Daphnia Daphnia magna > 100  $\mu g/L$  21d ,,Huels report No. DL-143, 1992 (unpublished)

NOEC Daphnia Daphnia magna 0.024 mg/L 21d ICI PLC (1991) Nonyl Phenol: Chronic Toxicity to Daphnia Magna Report No: BLS1319/B (Interim) BL4176/B (Final)

EC90 Algae Scenedesmus subspicatus (Desmodesmus subspicatus) 3.2 mg/L 72h Huels study (unpublished)

EC10 Algae Scenedesmus subspicatus (Desmodesmus subspicatus) 0.5 mg/L 72h Huels study (unpublished)

EC50 Algae Scenedesmus subspicatus (Desmodesmus subspicatus) 1.3 mg/L 72h Huels study (unpublished)

a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 0.135 mg/L 96h IUCLID

a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 0.1351 mg/L 96h EPA

a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 0.14 mg/L 48h

a) Aquatic acute toxicity: EC50 Algae Pseudokirchneriella subcapitata 0.36 mg/L 96h EPA

a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata  $0.16\,$  mg/L  $72h\,$  EPA

a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 1.3 mg/L  $72h\ IUCLID$ 

### Persistence and degradability

#### Component

#### Persitence/Degradability:

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Readily biodegradable

### **Bioaccumulative potential**

#### Component

### **Bioaccumulation**

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Not bioaccumulative

## Mobility in soil

N.A.

#### Other adverse effects

N.A.

#### 13. DISPOSAL CONSIDERATIONS

#### **Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 7 of 10

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

#### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

#### **UN** number

DOT-UN Number: Not Applicable ADR-UN number: Not Applicable IATA-Un number: Not Applicable IMDG-Un number: Not Applicable

#### **UN proper shipping name**

DOT-Proper Shipping Name: Not Applicable ADR-Shipping Name: Not Applicable IATA-Technical name: Not Applicable IMDG-Technical name: Not Applicable

#### Transport hazard class(es)

DOT-Hazard Class: Not Applicable ADR-Class: Not Applicable IATA-Class: Not Applicable IMDG-Class: Not Applicable

### **Packing group**

DOT Packing Group: Not Applicable ADR-Packing Group: Not Applicable IATA-Packing group: Not Applicable IMDG-Packing group: Not Applicable

#### **Environmental hazards**

Marine pollutant: Yes

Environmental Pollutant: Not Applicable

DOT-RQ: No

#### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

### Special precautions

Department of Transportation (DOT):

Not Applicable

Road and Rail (ADR-RID):

Not Applicable

Air (IATA):

Not Applicable

Sea (IMDG):

Not Applicable

### 15. REGULATORY INFORMATION

#### **USA - Federal regulations**

#### **TSCA - Toxic Substances Control Act**

All the components are listed on the TSCA inventory

### **TSCA listed substances:**

bis-[4-(2,3- is listed in TSCA Section 8b

epoxipropoxi)phenyl]propane

oxirane, mono[(C12-14- is listed in TSCA Section 8b

alkyloxy)methyl] derivs.

Formaldehyde, oligomeric reaction is listed in TSCA Section 8b

products with 1-chloro-2,3-epoxypropane and phenol

is listed in TSCA Section 8b Section 8a - PAIR Section 5a -SNUR Section 12b

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 8 of 10

#### **SARA - Superfund Amendments and Reauthorization Act**

**Section 302 - Extremely Hazardous Substances:** 

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

**CAA listed substances:** 

No substances listed

**CWA - Clean Water Act** 

**CWA listed substances:** 

No substances listed

#### **USA - State specific regulations**

**California Proposition 65** 

Substance(s) listed under California Proposition 65:

No substances listed

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

No substances listed

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed

#### Canada - Federal regulations

**DSL - Domestic Substances List** 

All the substances are listed in the DSL.

**NDSL - Non Domestic Substances List** 

This product complies with NDSL inventory

**NPRI - National Pollutant Release Inventory** 

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

### **16. OTHER INFORMATION**

Safety Data Sheet dated: 11/29/2023 - version 1

**Additional classification information** 

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: NONE



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 9 of 10

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
A.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B
A.2/2	Skin Irrit. 2	Skin irritation, Category 2
A.3/1	Eye Dam. 1	Serious eye damage, Category 1
A.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1
A.4.2/1B	Skin Sens. 1B	Skin Sensitization, Category 1B
A.7/2	Repr. 2	Reproductive toxicity, Category 2
US-HAE/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
US-HAE/A2	Aquatic Acute 2	Acute aquatic hazard, category 2
US-HAE/C1	Aquatic Chronic 1	Chronic (long term) aquatic hazard, category 1
US-HAE/C2	Aquatic Chronic 2	Chronic (long term) aquatic hazard, category 2

### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

 ${\tt INCI:} \ \ {\tt International\ Nomenclature\ of\ Cosmetic\ Ingredients}.$ 

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Print date 01/21/2025 Production Name PLANIGROUT 950 /A (NA) Page n. 10of 10