# Safety Data Sheet PLANIBOND 3C /C

Safety Data Sheet dated: 11/18/2024 - version 5

Date of first edition: 05/26/2015



#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: PLANIBOND 3C /C

Trade code: 9019642

Recommended use of the chemical and restrictions on use

Recommended use: Concrete Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsable: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION







# Classification of the chemical

Skin corrosion, Category 1A Causes severe skin burns and eye damage.

Serious eye damage, Category 1 Causes serious eye damage.

Skin Sensitization, Category 1 May cause an allergic skin reaction.

Carcinogenicity, Category 1A May cause cancer if inhaled.

Specific target organ toxicity following single exposure, May cause

Category 3

May cause respiratory irritation.

Specific target organ toxicity following repeated exposure,

. Category 1 Causes damage to organs through prolonged or repeated exposure if inhaled.

#### Label elements

#### Hazard pictograms and Signal Word



Danger

# **Hazard statements**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H350 May cause cancer if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

# **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 1 of 10

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P33 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

1

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P35 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

3

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with applicable regulations.

#### Ingredient(s) with unknown acute toxicity:

None

#### Hazards not otherwise classified identified during the classification process:

None

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

Not Relevant

#### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Qty	Name	Ident. Numb.	Classification
50-75 %	free crystalline silica (Ø >10 $\mu$ )	CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372; Carc. 1A, H350
25-50 %	portland cement, Cr(VI) < 2 ppm	CAS:65997-15-1 EC:266-043-4	STOT SE 3, H335; Eye Dam. 1, H318; Skin Sens. 1, H317; Skin Corr. 1A, H314
1-2.5 %	Sodium benzoate	CAS:532-32-1 EC:208-534-8	Eye Irrit. 2A, H319

### 4. FIRST AID MEASURES

# **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

# Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 2 of 10

#### Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

#### 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

#### Unsuitable extinguishing media:

None in particular.

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available Oxidizing properties: Not available

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

# Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations

Scoop into containers and seal for disposal.

Retain contaminated washing water and dispose it.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Storage temperature: Not available

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 3 of 10

# **Community Occupational Exposure Limits (OEL)**

Community Occupational	OEL	Country	, Occupational Exposure Limit
free crystalline silica (Ø >10 $\mu$ ) CAS: 14808-60-7	<b>Type</b> ACGIH		Long Term: 0.025 mg/m3 A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis
	MAK	AUSTRIA	Long Term: 0.15 mg/m3
	ACGIH		Long Term: 0.025 mg/m3 (R), A2 - Pulm fibrosis, lung cancer
	MAK	SWITZERLAN D	Long Term: 0.15 mg/m3
	EU		Long Term: 0.1 mg/m3 Behaviour Binding
portland cement, Cr(VI) < 2 ppm CAS: 65997-15-1	OSHA		Long Term: 15 mg/m3
	OSHA		Long Term: 5 mg/m3
	ACGIH		Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma
	ACGIH	AUSTRALIA	Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma
	MAK	AUSTRIA	Long Term: 5 mg/m3
	MAK	SWITZERLAN D	Long Term: 5 mg/m3
Sodium benzoate CAS: 532-32-1	MAK	SWITZERLAN D	Long Term: 1 mg/m3 - 0.2 ppm
	MAK	SWITZERLAN D	Long Term: 10 mg/m3 - 0.2 ppm
Predicted No Effect Conce	ntration	(PNEC) value	es

Sodium benzoate CAS: 532-32-1

Exposure Route: Fresh Water; PNEC Limit: 0.13 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 1.76 mg/kg

Exposure Route: Marine water; PNEC Limit: 0.013 mg/l

Exposure Route: Marine water sediments; PNEC Limit: 0.176 mg/kg

Exposure Route: Soil; PNEC Limit: 0.276 mg/kg Exposure Route: Oral; PNEC Limit: 300 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 10 mg/l

#### **Derived No Effect Level (DNEL) values**

Sodium benzoate CAS: 532-32-1

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Worker Industry: 0.1 mg/m3; Consumer: 0.06 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 62.5 mg/kg; Consumer: 31.25 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 3 mg/m3; Consumer: 1.5 mg/m3

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 16.6 mg/kg

Appropriate engineering controls: Not available

#### **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 4 of 10 Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

# Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state: Solid

Appearance and colour: powder white

Odour: cement like

Odour threshold: No data available

pH: No data available

pH (water dispersion, 10%): 12.00

Melting point / freezing point: No data available

Initial boiling point and boiling range: No data available

Flash point: Not Applicable

Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: No data available Solubility in water: No data available Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

#### Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Stable under normal conditions

# **Chemical stability**

Data not available.

# Possibility of hazardous reactions

None.

# **Conditions to avoid**

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

### **Hazardous decomposition products**

None.

# 11. TOXICOLOGICAL INFORMATION

# Information on toxicological effects

#### **Toxicological Information of the Preparation**

a) acute toxicity Not classified

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 5 of 10

Based on available data, the classification criteria are not met

b) skin corrosion/irritation The product is classified: Skin corrosion, Category 1A(H314) c) serious eye damage/irritation The product is classified: Serious eye damage, Category 1(H318) d) respiratory or skin sensitisation The product is classified: Skin Sensitization, Category 1(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity The product is classified: Carcinogenicity, Category 1A(H350)

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure The product is classified: Specific target organ toxicity following single exposure,

Category 3(H335)

i) STOT-repeated exposure The product is classified: Specific target organ toxicity following repeated exposure,

Category 1(H372)

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

#### Toxicological information on main components of the mixture:

free crystalline silica ( $\emptyset$  a) acute toxicity LD50 Oral > 2000 mg/kg

 $>10 \mu$ )

LD50 Skin > 2000 mg/kg

Sodium benzoate a) acute toxicity LD50 Oral Rat > 2000 mg/kg

LD50 Skin Rabbit > 2000 mg/kg LC50 Inhalation Rat > 12.2 mg/l 4h

e) germ cell mutagenicity NOAEL Mouse = 175 mg/kg

#### Substance(s) listed on the IARC Monographs:

free crystalline silica ( $\emptyset > 10 \mu$ ) Group 1

### Substance(s) listed as OSHA Carcinogen(s):

free crystalline silica ( $\emptyset > 10 \mu$ )

#### Substance(s) listed as NIOSH Carcinogen(s):

free crystalline silica ( $\emptyset > 10 \mu$ )

# Substance(s) listed on the NTP report on Carcinogens:

free crystalline silica ( $\emptyset > 10 \mu$ )

# 12. ECOLOGICAL INFORMATION

# **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

#### List of Eco-Toxicological properties of the components

# Component Ident. Numb. Ecotox Data

Sodium benzoate CAS: 532-32-1 - b) Aquatic chronic toxicity: NOEC Daphnia = 10 mg/L

EINECS: 208-

534-8

a) Aquatic acute toxicity: EC50 Daphnia > 100 mg/L 96h
 a) Aquatic acute toxicity: EC50 Algae > 24.8 mg/L 72
 c) Bacteria toxicity: EC50 Bacteria > 100 mg/L 24

a) Aquatic acute toxicity: LC50 Fish Pimephales promelas > 100 mg/L 96h

EPA

### Persistence and degradability

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 6 of 10

Component

### Persitence/Degradability:

Sodium benzoate

Readily biodegradable

#### **Bioaccumulative potential**

N.A.

### Mobility in soil

NΑ

#### Other adverse effects

NΔ

#### 13. DISPOSAL CONSIDERATIONS

#### **Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

#### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

#### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

# Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

# **UN** number

DOT-UN Number: Not Applicable ADR-UN number: Not Applicable IATA-Un number: Not Applicable IMDG-Un number: Not Applicable

### **UN** proper shipping name

DOT-Proper Shipping Name: Not Applicable

ADR-Shipping Name: Not Applicable IATA-Technical name: Not Applicable IMDG-Technical name: Not Applicable

# Transport hazard class(es)

DOT-Hazard Class: Not Applicable

ADR-Class: Not Applicable IATA-Class: Not Applicable IMDG-Class: Not Applicable

# Packing group

DOT Packing Group: Not Applicable ADR-Packing Group: Not Applicable IATA-Packing group: Not Applicable IMDG-Packing group: Not Applicable

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not Applicable

DOT-RQ: No

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

### **Special precautions**

Department of Transportation (DOT):

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 7 of 10

Not Applicable

Road and Rail (ADR-RID):

Not Applicable

Air (IATA):

Not Applicable

Sea (IMDG):

Not Applicable

#### 15. REGULATORY INFORMATION

#### **USA - Federal regulations**

#### **TSCA - Toxic Substances Control Act**

All the components are listed on the TSCA inventory

#### **TSCA listed substances:**

free crystalline silica (Ø >10  $\mu$ ) is listed in TSCA Section 8b portland cement, Cr(VI) < 2 ppm is listed in TSCA Section 8b Sodium benzoate is listed in TSCA Section 8b

#### **SARA - Superfund Amendments and Reauthorization Act**

#### **Section 302 - Extremely Hazardous Substances:**

No substances listed

#### Section 304 - Hazardous substances:

No substances listed

#### Section 313 - Toxic chemical list:

No substances listed

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

#### CAA - Clean Air Act

#### **CAA listed substances:**

No substances listed

#### CWA - Clean Water Act

#### **CWA listed substances:**

No substances listed

# **USA - State specific regulations**

# California Proposition 65

# Substance(s) listed under California Proposition 65:

free crystalline silica ( $\emptyset > 10 \mu$ ) Listed as carcinogen

#### Massachusetts Right to know

#### Substance(s) listed under Massachusetts Right to know:

free crystalline silica (Ø >10  $\mu$ ) portland cement, Cr(VI) < 2 ppm

#### Pennsylvania Right to know

# Substance(s) listed under Pennsylvania Right to know:

free crystalline silica (Ø >10  $\mu$ ) portland cement, Cr(VI) < 2 ppm

# New Jersey Right to know

# Substance(s) listed under New Jersey Right to know:

free crystalline silica (Ø >10  $\mu$ ) portland cement, Cr(VI) < 2 ppm

# **Canada - Federal regulations**

#### **DSL - Domestic Substances List**

All the substances are listed in the DSL.

# **NDSL - Non Domestic Substances List**

This product complies with NDSL inventory

#### **NPRI - National Pollutant Release Inventory**

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 8 of 10

#### **16. OTHER INFORMATION**

Code

H314

H317

A.8/3

A.9/1

Safety Data Sheet dated: 11/18/2024 - version 5

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

**Description** 

STOT SE 3

STOT RE 1

H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H350	May cause cancer.		
H372	Causes damage to organs through prolonged or repeated exposure.		
Code	Hazard class and hazard category	Description	
<b>Code</b> A.2/1A	Hazard class and hazard category Skin Corr. 1A	<b>Description</b> Skin corrosion, Category 1A	
	<i>,</i>	•	
A.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A	
A.2/1A A.3/1	Skin Corr. 1A Eye Dam. 1	Skin corrosion, Category 1A Serious eye damage, Category 1	

Specific target organ toxicity following single exposure, Category 3

Specific target organ toxicity following repeated exposure, Category 1

#### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

#### Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 9 of 10

- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION

Print date 01/21/2025 Production Name PLANIBOND 3C /C Page n. 10of 10